



RIDI

AFFORDABLE GERMAN
ENGINEERING

**Data Centre
Lighting Systems**

The First

55°C

Lighting Trunking

LINEA EVO®

55°C High Temperature

Dedicated DC-HT versions for the most demanding high density hot aisles

5m Fixing Distance


The long spacing between fixings reduces installation time and cost and minimises ceiling clutter

5 year Warranty

Plus 10 years of guaranteed parts availability

5 to 14 Cores

Total flexibility to pick the number of cores required for the project. Reduce copper use and cost by only picking what's required.



5 Core
Three Phase
Mains Switching

7 Core
Three Phase
DALI Control
Integral Battery

11 Core
Three Phase
DALI Control
Two Central Battery

13 Core
Three Phase
Two DALI Control
Two Central Battery

14 Core
Two mains circuits
Two DALI Control
Two Central Battery



Affordable German Engineering

Made in Germany at our production facility in Jungingen

High Capacity Production

The new automated production line is capable of producing 2.1 million metres of trunking and 720,000 luminaires per year

Sustainability

Powered by 100% renewable energy, with a highly vertically integrated production process and local delivery into the European markets.

Availability

Our 6000 pallet automated warehouse offers great capacity for stocked items and quick delivery times

SILVER | Top 15%

ecovadis

Sustainability Rating

JUL 2025

LIGHTING CONTROLS

Design

We offer a full design and consultation service for our lighting control systems

Delivery

Systems are delivered pre-wired into dedicated lighting control panels with integrated testing facilities and network switches.

Commissioning

We use our own experienced lighting commissioning engineers who are used to working both with our system and within demanding data centre environments.

Support

Our lighting control benefit from the same 5 year warranty offered on our luminaires. In addition we offer comprehensive support packages including remote online access for the quickest response times.



Integral Battery

The majority of our luminaires can be supplied with integral emergency versions.

DALI addressable version integrate with our Control³ lighting control system for seamless testing and monitoring.

Central Battery

In partnership with our supplier RP-Group we can offer design and supply of central battery systems of all sizes

Monitoring over powerline provides peace of mind and complete compliance for your Data Centre emergency lighting with simple wiring.



EMERGENCY LIGHTING



RIDI

AFFORDABLE GERMAN
ENGINEERING

RIDI Lighting Ltd
8&9 Marshgate Centre
Harlow Business Park
Harlow. CM19 5QP

01279 450882
WWW.RIDI.CO.UK
projects@ridi.co.uk